



Product Service

CERTIFICATE

No. Z1A 097891 0022 Rev. 01

Holder of Certificate: **Viasit Bürositzmöbel GmbH**

Boxbergweg 4
66538 Neunkirchen
GERMANY

Certification Mark:



Product: **Visitor chairs**

Tested according to: DIN EN 16139:2014
AfPS GS 2019:01 PAK

With this certificate, in its capacity as a notified GS body, TÜV SÜD Product Service GmbH issues the GS Mark to the named certificate holder for the declared product with the named model designation in accordance with section 20 ProdSG (German Product Safety Act). The product meets the safety and health requirements of section 20 (3) ProdSG. The manufacturer is reminded of their obligations in accordance with section 24 ProdSG. The certification marks shown above can be affixed on the product. It is not permitted to alter the certification marks in any way. In addition, the certificate holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 713260257 Rev. 01

Valid until: 2027-08-22

Date, 2022-09-14

(Jens Biesenack)

CERTIFICATE

No. Z1A 097891 0022 Rev. 01

Model(s): **Toleo**

Parameters:

Models	Toleo 4-legged chair 6.602.000	Toleo 4-legged chair on castors 6.603.000	Toleo swingchair 6.601.000	Toleo swivel conference 6.604.000
Dimensions [mm] Height x Width x Depth	850 x 560 x 620	870 x 558 x 600	865 x 557 x 580	815-920 x 555 x 585
Weight	9,4 kg	9,2 kg	10,1 kg	10,2 kg
Seat height at point A	445 mm	450 mm	435 mm	390-495 mm
Seat width at point A	460 mm	460 mm	460 mm	460 mm
Seat depth	485 mm	485 mm	485 mm	485 mm
Backrest width max.	510 mm	505 mm	505 mm	505 mm
Backrest height above point A	410 mm	420 mm	420 mm	420 mm
Armrest length	220 mm	220 mm	220 mm	220 mm
Height of the armrest above the seat	230 mm	230 mm	236 mm	230 mm
Clear width between the armrests at point A	475 mm	480 mm	465 mm	466 mm

Models and article numbers	Toleo 4-legged chair: 660.2000 frame black 661.2000 frame telegrey Toleo 4-legged chair with castors: 660.3000 frame black 661.3000 frame telegrey Toleo swing chair: 660.1000 frame black 661.1000 frame telegrey Toleo swivel conference: 660.4000 frame black 661.4000 frame telegrey
Frame	Welded tubular steel frame, outer diameter 22.5 mm Toleo four-legged base with glides Toleo swing base, no glides Toleo swivel conference seat support Comp. Donati with seat height adjustment and non-locking seat tilt adjustment, seat height adjustment by means of gas spring Toleo on castors, load-dependent braked double castors, diameter 50 mm, Toleo swivel conference diameter 60 mm



CERTIFICATE

No. Z1A 097891 0022 Rev. 01

Seat	Seat shell of plywood, upholstered
Backrest	Plastic backrest, not upholstered
Armrest / support	Steel tube, outer diameter 22.5 mm Armrest plastic